HP Officejet Pro 276dw Multifunction Printer

Manage your office printing—and your budget—with affordable versatility

Manage your print environment – and budget – with this advanced, network-ready MFP and get up to 50% lower cost per page than lasers[1]. Enjoy easy integration into your office workflow with efficient management and security controls.

Get up to 50% lower cost per page than lasers with this easy-to-manage MFP.[1]

- Produce quality prints with Original HP inks and save up to 50% on printing costs versus colour lasers.[1]
- Enjoy easy integration into your office environment plus remote management via industry-leading management tools like HP Web JetAdmin.
- Easily manage print security without specialist expertise via the HP Imaging and Printing Security Center.
- Protect your investment and choose a solution with the ability to grow with your business.

Save time, streamline workflows and simplify office tasks.

- Access print tools and useful business apps via the inituitive control panel and large colour touchscreen.[3]
- Handle large jobs with automatic two-sided printing, copying and scanning – load up to 500 sheets at once with the optional paper tray.[4]
- Print up to 2,300 black pages – or up to 1,500 colour pages – from a single high capacity Original HP cartridge.[5]
- Choose HP for reliable workgroup printing – designed for volumes of up to 1,500 pages a month.

Connect, print and stay productive – at the office or on the go.[2]

- Add this high performance MFP to your wired or wireless network for enhanced team efficiency.[6]
- Print wirelessly and share access with PCs, notebooks, tablets and mobile devices[2] – even with no network or router.[7]
- Enjoy the flexibility of being able to print from smartphones or tablets from virtually anywhere with HP ePrint.[2]
- Walk up and print files directly from your thumb drive using the easy-access USB port.

Conserve resources without sacrificing performance.

- Use up to 50% less energy than colour lasers[8] – set your printer for savings with Schedule On and Schedule Off.[9]
- Save up to 50% on paper with automatic two-sided printing.
- Use up to 50% less supplies and packaging by weight compared with colour laser.[10]
- Reduce your impact – easily recycle your Original HP ink cartridges for free through HP Planet Partners.[11]

Highlights

- Two-sided print, scan,copy; ADF
- ISO (laser comparable) speeds up to 20/15 ppm
- HP ePrint, HP Web Jetadmin
- USB, front USB, Ethernet, WiFi, wireless direct

2-sided printing

Easy access USB

Ethernet

Technical specifications

Functions	Print, copy, scan, fax and web
Print speed	Up to 20 ppm ISO black (A4); Up to 15 ppm ISO colour (A4) Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims
Print resolution	Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi black; Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi colour
Print technology	HP Thermal Inkjet
Print Area	Print margins: Top: 3.3 mm; Bottom: 3.3 mm; Left: 3.3 mm; Right: 3.3 mm
Print languages	HP PCL5c, HP PCL6, native PDF, HP Postscript Level 3 emulation
Print capabilities	Borderless printing: Yes, Edge to Edge for 210 x 297 mm (A4). Brochure media type only.; HP ePrint Capability: Yes
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Mobile printing capability	HP ePrint, HP ePrint Mobile Apps, Google Cloud Print, HP ePrint Wireless Direct, Apple AirPrint™
Fonts and Typefaces	84 scalable TrueType fonts
Monthly duty cycle	Up to 30,000 pages (A4); Recommended monthly page volume: 250 to 1500 pages
Automatic paper sensor	No
Processor speed	480 MHz
Display	10.92 cm touchscreen CGD (Colour Graphic Display)
Multitasking supported	Yes
Wireless Capability	Yes
Connectivity	Standard 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11b/g/n Station; 802.11b/g Access Point Optional Support the following External Jetdirect servers (Print only): HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 Peripherals (J7942G), HP Jetdirect ew2400 802.11b/g Wireless and Fast Ethernet External Print Server (USB 2.0, 10/100Base-TX, 802.11b/g) (J7951G), HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express®, Apple AirPort Extreme®, Apple Airport®, TimeCapsule®
Network Capabilities	Standard (built-in Ethernet, WiFi 802.11b/g/n)
Memory	Standard 512 MB; Maximum 512 MB
Memory card compatibility	Secure Digital (SD), Secure Digital High Capacity, miniSD, microSD, microSDHC (requires adapter, sold separately)
Printer smart software features	HP ePrint, HP ePrint Mobile Apps, Google Cloud Print, HP EasyColor, Cover Pages; Orientation: Portrait/Landscape/Rotate by 180 degrees; Print on Both Sides: Flip over/Flip up; Pages per Sheet: 1, 2, 4, 6, 9, 16; Booklet: Left Binding/Right Binding; Print in Greyscale: Black Ink Only/High Quality; Resizing options: Actual size, Scale to fit, % of actual size (25%-400%); A4 Borderless Printing; Output Quality: Draft/Normal/Best; Print All text as Black
Media types	Plain paper; Thick plain paper; HP Bright White Paper; HP Premium Presentation Paper, Matte; HP Premium Plus Photo Papers; other inkjet papers; HP Advanced Photo Papers; HP Everyday Photo Paper, Matte; HP Everyday Photo Paper, Glossy; other photo papers; HP Brochure Paper 180 g, Glossy; HP Brochure and Flyer Paper, Matte; HP Tri-fold Brochure Paper, Matte; HP Tri-fold Brochure Paper, Glossy; Other brochure papers; Card Stock
Media sizes	Supported A4; A5; A6; B5 (JIS); Envelope (C5, C6, DL); 10 x 15 cm; Tray 2: A4; Custom: Tray 1: 76.2 x 127 mm to 216 x 356 mm; optional Tray 2: Not supporting custom size
Media Handling	Input capacity: Up to 250 sheets; No transparencies; Up to 100 sheets photo paper Output capacity: Up to 150 sheets, Up to 25 envelopes Maximum: Up to 150 sheets Duplex printing: Automatic (standard) ADF: Standard, 50 sheets
Paper weight	Supported: Tray 1: 60 to 105 g/m² (plain paper); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card); Optional Tray 2: 60 to 105 g/m² (plain paper); Recommended: 60 to 105 g/m² (plain paper); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)
Copier settings	HP Copy Fix; ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults; Maximum number of copies: Up to 99 copies; Copy resolution: Up to 1200 x 600 dpi; Copy resolution, color text and graphics: Up to 1200 x 600 dpi; Copier resize: 25 to 400%
Copy speed	Up to 13 cpm black ISO (A4), Up to 12 cpm colour ISO (A4)
Copier smart software features	Copy Fix - automatic de-skew and frame removal on black copy on glass bed
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to Email with LDAP email address lookup, Scan to Network Folder, Scan to USB, Scan to computer with software; Client applications: EWS and HP scan app; User application via TWAIN/WIA; Compatible with HP Capture and Route; Twain version: Version 1.9; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 4800 dpi
Scan file format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Scan speed	Up to 11 ipm (200 ppi, black & white), up to 7 ipm (200 ppi, colour) (A4); Duplex: Up to 4.5 ipm (200 ppi, black & white), up to 3.7 ipm (200 ppi, colour)
Scannable area	Maximum media size: 216 x 356 mm; Maximum media size: 215 x 355 mm ADF
Bit depth/ Greyscale levels	24-bit/ 256

What's in the box	**CR770A** HP Officejet Pro 276dw MFP; HP Automatic Duplexer; HP 950 Setup Black Officejet Ink Cartridge; HP 951 Setup Colour Officejet Ink Cartridges (Cyan, Magenta, Yellow); printer software and user's guide on CD-ROM; getting started guide; setup poster; power cable
Supplies	**CN045AE** HP 950XL High Yield Black Original Ink Cartridge ~2,300 pages **CN046AE** HP 951XL High Yield Cyan Original Ink Cartridge ~1,500 pages **CN047AE** HP 951XL High Yield Magenta Original Ink Cartridge ~1,500 pages **CN048AE** HP 951XL High Yield Yellow Original Ink Cartridge ~1,500 pages **CN049AE** HP 950 Black Original Ink Cartridge ~1,000 pages **C6818A** HP Professional Glossy Inkjet Paper-50 sht/A4/210 x 297 mm **Q6593A** HP Professional Matt Inkjet Paper-200 sht/A4/210 x 297 mm **CHP210** HP Printing Paper-500 sht/A4/210 x 297 mm For information on page yield, visit www.hp.com/go/learnaboutsupplies, or see product packaging
Accessories	**CN548A** HP Officejet Pro 8600 e-All-in-One Printer 250-sheet Paper Tray
Digital sending	Standard: Scan to E-mail; Scan to Network Folder; Scan to USB; Fax Archive to Network Folder; Fax Archive to E-mail; Fax to Computer
Fax	Yes, colour, 33.6 kbps
Fax specifications	Fax memory: Up to 100 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi, 256 levels of grey; Quick dialing: Up to 99 numbers; Broadcasting, maximum locations: 48; Fax speed: Up to 33.6 kbps; 4 sec per page
Fax smart software features	Digital Fax - Fax to Computer is available with Windows and Macintosh® (Please use: Visit hp.com/support to download the latest software.)
Warranty	Standard one-year HP limited hardware warranty. Three-year HP limited hardware warranty after registration within 60 days of purchase (see www.hp.com/eu/3yearwarranty). Warranty and support options vary by product, country and local legal requirements.
Service and support	**U6Z89E** - HP 3 year Next Business Day Onsite Exchange Officejet Pro 276dw MFP Service (Available in all Europe, Middle East, Africa countries) **U6Z90E** - HP 3 year Return Officejet Pro 276dw MFP Service (Available in Central and Eastern Europe, Middle East, Mediterranean and Africa). Please check availability at country level.
Replacement Cartridges	HP 950 Black Officejet Ink Cartridge (~1000 pages); HP 951 Cyan Officejet Ink Cartridge (~700 pages); HP 951 Magenta Officejet Ink Cartridge (~700 pages); HP 951 Yellow Officejet Ink Cartridge (~700 pages); HP 950XL Black Officejet Ink Cartridge (~2300 pages); HP 951XL Cyan Officejet Ink Cartridge (~1500 pages); HP 951XL Magenta Officejet Ink Cartridge (~1500 pages); HP 951XL Yellow Officejet Ink Cartridge (~1500 pages)
Compatible operating systems	Windows 8 (32-bit & 64-bit), Windows 7 (32-bit & 64-bit), Windows Vista (32-bit & 64-bit) (Including Starter Edition), Windows XP SP3 (or greater (32-bit only), Mac OS X v10.6, OS X Lion, OS X Mountain Lion, Linux (For more information, see hplipopensource.com/hplip-web/index.html)
Minimum system requirements	Windows: Windows 8, Windows 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet Explorer, CD-ROM/DVD or Internet, USB. Windows Vista: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet Explorer, CD-ROM/DVD or Internet, USB. Windows XP SP3 (32-bit only): Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 750 MB available hard disk space, Internet Explorer 6, CD-ROM/DVD or Internet, USB. Mac OS X v10.6, OS X Lion, OS X Mountain Lion: Intel® Core Processor, 1 GB available hard disk space, CD-ROM/DVD or Internet, USB. Linux (For more information, see hplipopensource.com/hplip-web/index.html) Mac: Mac OS X v10.6, OS X Lion, OS X Mountain Lion: Intel Core Processor, 1 GB available hard disk space, CD-ROM/DVD or Internet, USB
Software included	HP Printer Software, HP Update, HP Officejet Pro 276dw MFP Help, Bing Bar for HP (includes HP Smart Print), I.R.I.S. OCR, Product Improvement Study for HP Officejet Pro 276dw MFP
Security management	SSL/TLS (HTTPS), IPP over TLS; WPA2-Enterprise; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Device firewall configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Syslog; Certificate support; Signed firmware; Administrator settings; scan-to and fax-to folder authentication; Compatible with HP Access Control Express
Printer management	HP Web Jetadmin; Embedded Web server; HP Imaging and Printing Security Center; HP Driver Configuration Utility; HP Driver Deployment Utility; HP Utility (Mac)
Printer dimensions (W x D x H)	Minimum: 494 x 460 x 315 mm; Maximum: 494 x 646 x 315 mm (with duplexer installed, output tray extended to Legal)
Package dimensions (W x D x H)	567 x 380 x 520 mm
Printer Weight	12.7 kg
Package weight	18.2 kg
Operating environment	Temperature: 5 to 40°C, Humidity: 20 to 80% RH
Storage	Temperature: -40 to 60°C, Humidity: 0 to 90% RH (non-condensing) at a temperature of 60ºC
Acoustics	Acoustic power emissions: 6.4 B(A); Acoustic pressure emissions: 62 dB(A)
Power	Requirements: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) Consumption: 35.09 watts (maximum), 7.11 watts (standby), 1.63 watts (sleep), 0.11 watts (manual-off); Typical electricity consumption (TEC): 0.37 kWh/Week Built-in Universal Power Supply
Certifications	European Union (CE) Energy Star Qualified: Yes
Country of origin	Product of China

Footnotes

http://www.hp.com/uk

4AA4-5101EEE, January 2015